

Disková brána BOMET Pegasus - nesená, 2-sekčná

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Rúrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliací valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
GUMOVÁ OCHRANA, DISKY ø 510mm											
U223/7	2,0	16	1185	60	82	✓	-	-	-	-	6336
U223/7	2,0	16	1180	60	82	-	✓	-	-	-	6636
U223/7	2,0	16	1355	60	82	-	-	✓	-	-	7209
U223/7	2,0	16	1465	60	82	-	-	-	✓	-	7764
U223/7	2,0	16	1570	60	82	-	-	-	-	✓	7823
U223/6	2,5	20	1345	65	90	✓	-	-	-	-	7540
U223/6	2,5	20	1340	65	90	-	✓	-	-	-	7540
U223/6	2,5	20	1580	65	90	-	-	✓	-	-	8743
U223/6	2,5	20	1715	65	90	-	-	-	✓	-	9086
U223/6	2,5	20	1845	65	90	-	-	-	-	✓	9274
U223/5*	3,0	24	1555	80	110	✓	-	-	-	-	8779
U223/5*	3,0	24	1550	80	110	-	✓	-	-	-	8779
U223/5*	3,0	24	1835	80	110	-	-	✓	-	-	9817
U223/5*	3,0	24	2000	80	110	-	-	-	✓	-	10679
U223/5*	3,0	24	2315	80	110	-	-	-	-	✓	10832
U223/4*	3,5	28	1845	95	130	✓	-	-	-	-	9935
U223/4*	3,5	28	1830	95	130	-	✓	-	-	-	9935
U223/4*	3,5	28	2185	95	130	-	-	✓	-	-	11752
U223/4*	3,5	28	2280	95	130	-	-	-	✓	-	12165
U223/4*	3,5	28	2355	95	130	-	-	-	-	✓	12295
U223/3*	4,0	32	2035	102	140	✓	-	-	-	-	11835
U223/3*	4,0	32	2025	102	140	-	✓	-	-	-	11835
U223/3*	4,0	32	2415	102	140	-	-	✓	-	-	13652
U223/3*	4,0	32	2490	102	140	-	-	-	✓	-	14372
U223/3*	4,0	32	2595	102	140	-	-	-	-	✓	14632

Disková brána BOMET Pegasus - nesená, 2-sekčná

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg			-	-	EUR
GUMOVÁ OCHRANA, ø 510 MM								
U223/7	2,0	16	1235	60	82	✓	-	6596
U223/7	2,0	16	1265	60	82	-	✓	6962
U223/6	2,5	20	1410	65	90	✓	-	7917
U223/6	2,5	20	1450	65	90	-	✓	8366
U223/5*	3,0	24	1630	80	110	✓	-	9180
U223/5*	3,0	24	1680	80	110	-	✓	9912
U223/4*	3,5	28	1915	95	130	✓	-	10454
U223/4*	3,5	28	1965	95	130	-	✓	11339
U223/3*	4,0	32	2130	102	140	✓	-	12413
U223/3*	4,0	32	2190	102	140	-	✓	13168

Disková brána BOMET Pegasus - nesená, 2-sekčná

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Rúrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliací valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA GUMOU , DISKY ø 560mm											
U223/7	2,0	16	1225	60	82	✓	-	-	-	-	6466
U223/7	2,0	16	1220	60	82	-	✓	-	-	-	6466
U223/7	2,0	16	1395	60	82	-	-	✓	-	-	7280
U223/7	2,0	16	1505	60	82	-	-	-	✓	-	7847
U223/7	2,0	16	1610	60	82	-	-	-	-	✓	7917
U223/6	2,5	20	1395	65	90	✓	-	-	-	-	7740
U223/6	2,5	20	1390	65	90	-	✓	-	-	-	7740
U223/6	2,5	20	1630	65	90	-	-	✓	-	-	8838
U223/6	2,5	20	1765	65	90	-	-	-	✓	-	9180
U223/6	2,5	20	1895	65	90	-	-	-	-	✓	9404
U223/5*	3,0	24	1615	80	110	✓	-	-	-	-	8861
U223/5*	3,0	24	1610	80	110	-	✓	-	-	-	8861
U223/5*	3,0	24	1895	80	110	-	-	✓	-	-	10384
U223/5*	3,0	24	2060	80	110	-	-	-	✓	-	10797
U223/5*	3,0	24	2375	80	110	-	-	-	-	✓	10985
U223/4*	3,5	28	1915	95	130	✓	-	-	-	-	10136
U223/4*	3,5	28	1900	95	130	-	✓	-	-	-	10136
U223/4*	3,5	28	2255	95	130	-	-	✓	-	-	11906
U223/4*	3,5	28	2350	95	130	-	-	-	✓	-	12342
U223/4*	3,5	28	2425	95	130	-	-	-	-	✓	12508
U223/3*	4,0	32	2115	102	140	✓	-	-	-	-	11953
U223/3*	4,0	32	2105	102	140	-	✓	-	-	-	11953
U223/3*	4,0	32	2495	102	140	-	-	✓	-	-	13876
U223/3*	4,0	32	2570	102	140	-	-	-	✓	-	14514
U223/3*	4,0	32	2675	102	140	-	-	-	-	✓	14750

Disková brána BOMET Pegasus - nesená, 2-sekčná

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
GUMENÁ OCHRANA, DISKY ø 560 mm								
U223/7	2,0	16	1275	60	82	✓	-	6690
U223/7	2,0	16	1305	60	82	-	✓	7056
U223/6	2,5	20	1460	65	90	✓	-	8035
U223/6	2,5	20	1500	65	90	-	✓	8531
U223/5*	3,0	24	1590	80	110	✓	-	9310
U223/5*	3,0	24	1640	80	110	-	✓	10006
U223/4*	3,5	28	1985	95	130	✓	-	10549
U223/4*	3,5	28	2035	95	130	-	✓	11564
U223/3*	4,0	32	2210	102	140	✓	-	12472
U223/3*	4,0	32	2270	102	140	-	✓	13393

Disková brána BOMET Pegasus - nesená, 2-sekčná

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Růrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliací valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA PRUŽINAMI, DISKY ø 560 MM											
U223/6	2,5	20	1495	65	90	✓	-	-	-	-	9027
U223/6	2,5	20	1490	65	90	-	✓	-	-	-	9027
U223/6	2,5	20	1730	65	90	-	-	✓	-	-	10006
U223/6	2,5	20	1865	65	90	-	-	-	✓	-	10384
U223/6	2,5	20	1995	65	90	-	-	-	-	✓	10643
U223/5*	3,0	24	1735	80	110	✓	-	-	-	-	10325
U223/5*	3,0	24	1730	80	110	-	✓	-	-	-	10325
U223/5*	3,0	24	2015	80	110	-	-	✓	-	-	11800
U223/5*	3,0	24	2180	80	110	-	-	-	✓	-	12154
U223/5*	3,0	24	2495	80	110	-	-	-	-	✓	12342
U223/4*	3,5	28	2055	95	130	✓	-	-	-	-	11800
U223/4*	3,5	28	2040	95	130	-	✓	-	-	-	11800
U223/4*	3,5	28	2395	95	130	-	-	✓	-	-	13546
U223/4*	3,5	28	2490	95	130	-	-	-	✓	-	13994
U223/4*	3,5	28	2565	95	130	-	-	-	-	✓	14124
U223/3*	4,0	32	2275	102	140	✓	-	-	-	-	13546
U223/3*	4,0	32	2265	102	140	-	✓	-	-	-	13546
U223/3*	4,0	32	2655	102	140	-	-	✓	-	-	15422
U223/3*	4,0	32	2730	102	140	-	-	-	✓	-	16142
U223/3*	4,0	32	2835	102	140	-	-	-	-	✓	16307

Disková brána BOMET Pegasus - nesená, 2-sekčná

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANA PRUŽINAMI, DISKY ø 560 MM								
U223/6	2,5	20	1560	65	90	✓	-	9345
U223/6	2,5	20	1600	65	90	-	✓	9664
U223/5*	3,0	24	1810	80	110	✓	-	10714
U223/5*	3,0	24	1860	80	110	-	✓	11564
U223/4*	3,5	28	2125	95	130	✓	-	12413
U223/4*	3,5	28	2175	95	130	-	✓	13074
U223/3*	4,0	32	2370	102	140	✓	-	14124
U223/3*	4,0	32	2430	102	140	-	✓	14974