

Disková brána hydraulicky sklápaná BOMET Pegasus - nesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Rúrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliaci valec ø 465 mm	Crosskill valec ø 350 mm	Gumený valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
GUMENÁ OCHRANA, DISKY ø 510 mm											
U223/2	4,0	32	2360	102	140	✓	-	-	-	-	14766
U223/2	4,0	32	2335	102	140	-	✓	-	-	-	14766
U223/2	4,0	32	2755	102	140	-	-	✓	-	-	16779
U223/2	4,0	32	2780	102	140	-	-	-	✓	-	17543
U223/2	4,0	32	2885	102	140	-	-	-	-	✓	17947
U223/1	5,0	40	2695	125	170	✓	-	-	-	-	16826
U223/1	5,0	40	2680	125	170	-	✓	-	-	-	16826
U223/1	5,0	40	3190	125	170	-	-	✓	-	-	19222
U223/1	5,0	40	3225	125	170	-	-	-	✓	-	20237
U223/1	5,0	40	3380	125	170	-	-	-	-	✓	20650
U223	6,0	48	3000	147	200	✓	-	-	-	-	18988
U223	6,0	48	2990	147	200	-	✓	-	-	-	18988
U223	6,0	48	3590	147	200	-	-	✓	-	-	21629
U223	6,0	48	3635	147	200	-	-	-	✓	-	23021
U223	6,0	48	3710	147	200	-	-	-	-	✓	23375

Disková brána hydraulicky sklápaná BOMET Pegasus - nesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANA GUMOU, DISKY ø 510 mm								
U223/2	4,0	32	2455	102	140	✓	-	15269
U223/2	4,0	32	2515	102	140	-	✓	16897
U223/1	5,0	40	2800	125	170	✓	-	17534
U223/1	5,0	40	2875	125	170	-	✓	18561
U223	6,0	48	3160	147	200	✓	-	19847
U223	6,0	48	3250	147	200	-	✓	20838

Disková brána hydraulicky sklápaná BOMET Pegasus - nesená

	Pracovní šířka	Počet diskov	Hmotnost	Požadovaný výkon		Růrkový valec ø 500mm	Prstencový valec ø 400 mm	Baliaci valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA GUMOU, DISKY ø 560 mm											
U223/2	4,0	32	2440	102	140	✓	-	-	-	-	14868
U223/2	4,0	32	2415	102	140	-	✓	-	-	-	14868
U223/2	4,0	32	2835	102	140	-	-	✓	-	-	16968
U223/2	4,0	32	2860	102	140	-	-	-	✓	-	17735
U223/2	4,0	32	2965	102	140	-	-	-	-	✓	18207
U223/1	5,0	40	2795	125	170	✓	-	-	-	-	17098
U223/1	5,0	40	2780	125	170	-	✓	-	-	-	17098
U223/1	5,0	40	3290	125	170	-	-	✓	-	-	18585
U223/1	5,0	40	3325	125	170	-	-	-	✓	-	20508
U223/1	5,0	40	3480	125	170	-	-	-	-	✓	20579
U223	6,0	48	3120	147	200	✓	-	-	-	-	19269
U223	6,0	48	3115	147	200	-	✓	-	-	-	19269
U223	6,0	48	3710	147	200	-	-	✓	-	-	21912
U223	6,0	48	3755	147	200	-	-	-	✓	-	23281
U223	6,0	48	3830	147	200	-	-	-	-	✓	23659

Disková brána hydraulicky sklápaná BOMET Pegasus - nesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANA GUMOU, DISKY ø 560 mm								
U223/2	4,0	32	2535	102	140	✓	-	15422
U223/2	4,0	32	2595	102	140	-	✓	16461
U223/1	5,0	40	2900	125	170	✓	-	17818
U223/1	5,0	40	2975	125	170	-	✓	18762
U223	6,0	48	3280	147	200	✓	-	20095
U223	6,0	48	3370	147	200	-	✓	21145

Disková brána hydraulicky sklápaná BOMET Pegasus - nesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Růrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliací valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA PRUŽINAMI, DISKY ø 560 mm											
U223/2	4,0	32	2600	102	140	✓	-	-	-	-	16779
U223/2	4,0	32	2575	102	140	-	✓	-	-	-	16779
U223/2	4,0	32	2995	102	140	-	-	✓	-	-	18809
U223/2	4,0	32	3020	102	140	-	-	-	✓	-	19576
U223/2	4,0	32	3125	102	140	-	-	-	-	✓	20048
U223/1	5,0	40	2995	125	170	✓	-	-	-	-	19411
U223/1	5,0	40	2980	125	170	-	✓	-	-	-	19411
U223/1	5,0	40	3490	125	170	-	-	✓	-	-	21782
U223/1	5,0	40	3525	125	170	-	-	-	✓	-	23175
U223/1	5,0	40	3680	125	170	-	-	-	-	✓	23281
U223	6,0	48	3360	147	200	✓	-	-	-	-	22113
U223	6,0	48	3350	147	200	-	✓	-	-	-	22113
U223	6,0	48	3950	147	200	-	-	✓	-	-	24721
U223	6,0	48	3995	147	200	-	-	-	✓	-	26054
U223	6,0	48	4070	147	200	-	-	-	-	✓	26467

Disková brána hydraulicky sklápaná BOMET Pegasus - nesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANA PRUŽINAMI, DISKY ø 560 mm								
U223/2	4,0	32	2695	102	140	✓	-	17381
U223/2	4,0	32	2755	102	140	-	✓	18360
U223/1	5,0	40	3100	125	170	✓	-	20095
U223/1	5,0	40	3175	125	170	-	✓	21145
U223	6,0	48	3520	147	200	✓	-	22962
U223	6,0	48	3610	147	200	-	✓	23954