

Disková brána hydraulicky sklápaná BOMET Pegasus - polonesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Růrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliací valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA GUMOU, DISKY ø 510mm											
U222/2	4,0	32	2805	102	140	✓	-	-	-	-	19434
U222/2	4,0	32	2780	102	140	-	✓	-	-	-	19434
U222/2	4,0	32	3200	102	140	-	-	✓	-	-	21499
U222/2	4,0	32	3230	102	140	-	-	-	✓	-	21782
U222/2	4,0	32	3335	102	140	-	-	-	-	✓	22384
U222/1	5,0	40	3145	125	170	✓	-	-	-	-	21204
U222/1	5,0	40	3130	125	170	-	✓	-	-	-	21204
U222/1	5,0	40	3640	125	170	-	-	✓	-	-	24201
U222/1	5,0	40	3680	125	170	-	-	-	✓	-	24839
U222/1	5,0	40	3835	125	170	-	-	-	-	✓	25393
U222	6,0	48	3450	147	200	✓	-	-	-	-	23954
U222	6,0	48	3440	147	200	-	✓	-	-	-	23954
U222	6,0	48	4040	147	200	-	-	✓	-	-	26986
U222	6,0	48	4085	147	200	-	-	-	✓	-	27482
U222	6,0	48	4160	147	200	-	-	-	-	✓	28084

Disková brána hydraulicky sklápaná BOMET Pegasus - polonesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový válec Ø 600 mm	C-kruhový válec Ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANA GUMOU,DISKY Ø 510 mm								
U222/2	4,0	32	2900	102	140	✓	-	20012
U222/2	4,0	32	2960	102	140	-	✓	20992
U222/1	5,0	40	3250	125	170	✓	-	22549
U222/1	5,0	40	3325	125	170	-	✓	23529
U222	6,0	48	3610	147	200	✓	-	24839
U222	6,0	48	3700	147	200	-	✓	26184

Disková brána hydraulicky sklápaná BOMET Pegasus - polonesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Rúrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliaci valec ø 465 mm	Crosskill valec ø 350 mm	Gumený valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA GUMOU, DISKY ø 560 mm											
U222/2	4,0	32	2885	102	140	✓	-	-	-	-	19481
U222/2	4,0	32	2860	102	140	-	✓	-	-	-	19481
U222/2	4,0	32	3280	102	140	-	-	✓	-	-	21664
U222/2	4,0	32	3310	102	140	-	-	-	✓	-	21912
U222/2	4,0	32	3415	102	140	-	-	-	-	✓	22549
U222/1	5,0	40	3245	125	170	✓	-	-	-	-	22113
U222/1	5,0	40	3230	125	170	-	✓	-	-	-	22113
U222/1	5,0	40	3740	125	170	-	-	✓	-	-	24426
U222/1	5,0	40	3780	125	170	-	-	-	✓	-	25016
U222/1	5,0	40	3935	125	170	-	-	-	-	✓	25582
U222	6,0	48	3570	147	200	✓	-	-	-	-	24260
U222	6,0	48	3560	147	200	-	✓	-	-	-	24260
U222	6,0	48	4160	147	200	-	-	✓	-	-	27199
U222	6,0	48	4205	147	200	-	-	-	✓	-	27741
U222	6,0	48	4280	147	200	-	-	-	-	✓	28343

Disková brána hydraulicky sklápaná BOMET Pegasus - polonesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANAGUMOU,DISKY ø 560mm								
U222/2	4,0	32	2980	102	140	✓	-	20142
U222/2	4,0	32	3040	102	140	-	✓	21145
U222/1	5,0	40	3350	125	170	✓	-	22774
U222/1	5,0	40	3425	125	170	-	✓	23812
U222	6,0	48	3720	147	200	✓	-	24862
U222	6,0	48	3820	147	200	-	✓	26467

Disková brána hydraulicky sklápaná BOMET Pegasus - polonesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		Růrkový valec ø 500 mm	Prstencový valec ø 400 mm	Baliací valec ø 465 mm	Crosskill valec ø 350 mm	Gumový valec ø 500 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	-	-	-	EUR
OCHRANA PRUŽINAMI,DISKY ø 560 mm											
U222/2	4,0	32	3045	102	140	✓	-	-	-	-	21535
U222/2	4,0	32	3020	102	140	-	✓	-	-	-	21535
U222/2	4,0	32	3440	102	140	-	-	✓	-	-	23529
U222/2	4,0	32	3470	102	140	-	-	-	✓	-	23871
U222/2	4,0	32	3575	102	140	-	-	-	-	✓	24426
U222/1	5,0	40	3450	125	170	✓	-	-	-	-	24378
U222/1	5,0	40	3430	125	170	-	✓	-	-	-	24378
U222/1	5,0	40	3940	125	170	-	-	✓	-	-	26762
U222/1	5,0	40	398	125	170	-	-	-	✓	-	27364
U222/1	5,0	40	4135	125	170	-	-	-	-	✓	28000
U222	6,0	48	3810	147	200	✓	-	-	-	-	27081
U222	6,0	48	3800	147	200	-	✓	-	-	-	27081
U222	6,0	48	4400	147	200	-	-	✓	-	-	29983
U222	6,0	48	4445	147	200	-	-	-	✓	-	30585
U222	6,0	48	4520	147	200	-	-	-	-	✓	31199

Disková brána hydraulicky sklápaná BOMET Pegasus - polonesená

	Pracovní šířka	Počet disků	Hmotnost	Požadovaný výkon		V-kruhový valec ø 600 mm	C-kruhový valec ø 600 mm	Cena bez DPH
-	m	ks	kg	kW	HP	-	-	EUR
OCHRANA PRUŽINAMI,DISKY ø 560 mm								
U222/2	4,0	32	3140	102	140	✓	-	22113
U222/2	4,0	32	3200	102	140	-	✓	23116
U222/1	5,0	40	3555	125	170	✓	-	25134
U222/1	5,0	40	3630	125	170	-	✓	26125
U222	6,0	48	3970	147	200	✓	-	27895
U222	6,0	48	4060	147	200	-	✓	29264